

**IN THE CLAIMS**

Please amend the claims as follows:

Claim 1-16 (Cancelled).

Claim 17 (Previously Presented): A portable apparatus comprising:

a hinge coupling an end of an operation-side casing having an operation part and an end of a display-side casing having a main display part with each other for pivotable movement thereof,

an LED display panel which is arranged in a display window formed on a casing surface of said display-side casing other than a surface provided with the main display part and which has a plurality of light-emitting diodes (LEDs) outwardly projecting light and matrix-arranged in a plane;

a display control unit controlling display of said plurality of light-emitting diodes of said LED display panel on the basis of input display data; and

a main control unit outputting said display data displayed on said LED display panel to said display control unit, wherein

said display-side casing is configured to be rotatable by at least 180° about a direction perpendicular to the core of a hinge axis as an axis.

Claim 18 (Previously Presented): The portable apparatus according to claim 58, wherein the battery is provided in the operation-side casing.

Claim 19 (Previously Presented): The portable apparatus according to claim 17, wherein the main display part is provided on a surface of said display-side casing facing said operation-side casing when the operation-side casing and the display-side casing are in their

closed position.

Claims 20-27 (Cancelled).

Claim 28 (Currently Amended): ~~[[The]]~~ A portable apparatus comprising:

a hinge coupling an end of an operation-side casing having an operation part and an end of a display-side casing having a main display part with each other for pivotable movement thereof,

and LED display panel which is arranged in a display window formed on a casing surface of said display-side casing other than a surface provided with the main display part and which had a plurality of light-emitting diodes (LEDs) outwardly projecting light and matrix-arranged in a plane;

a display control unit controlling display of said plurality of light-emitting diodes of said LED display panel on the basis of input display data;

a main control unit outputting said display data displayed on said LED display panel to said display control unit; and

an operation key operable in a state that the operation-side casing and the display-side casing are in their closed position,

wherein the main control unit switches display contents of the LED display panel by operation of said operation key.

Claims 29-34 (Cancelled).

Claim 35 (Previously Presented): The portable apparatus according to claim 17, wherein

said main display part has a higher resolution than said LED display panel.

Claim 36 (Currently Amended): ~~[[The]]~~ A portable apparatus comprising:

a hinge coupling an end of an operation-side casing having an operation part and an end of a display-side casing having a main display part with each other for pivotable movement thereof,

an LED display panel which is arranged in a display window formed on a casing surface of said display-side casing other than a surface provided with the main display part and which has a plurality of light-emitting diodes (LEDs) outwardly projecting light and matrix-arranged in a plane;

a display control unit controlling display of said plurality of light-emitting diodes of said LED display panel on the basis of input display data;

a main control unit outputting said display data displayed on said LED display panel to said display control unit; and

an operation key operable in a state that said operation-side casing and said display-side casing are in their closed position, wherein

display of said LED display panel turns on/off by operation of said operation key.

Claims 37-57 (Cancelled).

Claim 58 (Previously Presented): The portable apparatus according to claim 17, further comprising:

a battery supplying power to said LED display panel, the display control unit and the main control unit.

Claim 59 (Previously Presented): The portable apparatus according to Claim 17, wherein the LED display panel is provided on a surface of said display side casing opposed to the surface provided with the main display part.

Claim 60 (Cancelled).

Claim 61 (Previously Presented): The portable apparatus according to Claim 17, wherein a display pattern to be displayed on said LED display panel is graphic pattern, a design pattern or a letter pattern.

Claim 62 (Previously Presented): The portable apparatus according to Claim 28, wherein the main display part is provided on a surface of said display-side casing facing said operation-side casing when the operation-side casing and the display-side casing are in their closed position.

Claim 63 (Previously Presented w): The portable apparatus according the Claim 28, wherein the LED display panel is provided on a surface of said display-side casing opposed to the surface provided with the main display part.

Claim 64 (Previously Presented): The portable apparatus according to Claim 28, wherein a display pattern to be displayed on said LED display panel is a graphic pattern, a design pattern or a letter pattern.

Claim 65 (Previously Presented): The portable apparatus according to Claim 36, wherein the main display part is provided on a surface of said display-side casing

facing said operation-side casing when the operation-side casing and the display-side casing are in their closed positions.

Claim 66 (Previously Presented): The portable apparatus according to Claim 36, wherein the LED display panel is provided on a surface of said display-side casing opposed to the surface provided with the main display part.

Claim 67 (Previously Presented): The portable apparatus according to Claim 36, wherein a display pattern to be displayed on said LED display panel is a graphic pattern, a design pattern or a letter pattern.